New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

FS 1200MG TINCTURE

Sample ID: 2603NBL0579.1518
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 04/07/2026
Completed: 04/23/2026
Expires: 04/23/2027
External Lot ID: 2608601
Batch#: MO-386

Client
Emergent Concepts LLC
Lic. #
19141 Stone Oak Pkwy San Antonio, TX 78258
(1NN) NNN-NNNN adrian@alamobotanicals.com

Summary

Test	Date Tested	Result
Cannabinoids	04/07/2026	Complete
Residual Solvents	04/17/2026	Complete
Microbials	04/14/2026	Complete
Mycotoxins	04/22/2026	Complete
Pesticides	04/22/2026	Complete
Heavy Metals	04/21/2026	Complete
Foreign Matter	04/06/2026	Not Detected

Cannabinoids

Complete

0.081%	0.081%	4.133%	4.347%
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0102	0.015	ND	ND
9R-HHC	0.0102	0.015	ND	ND
(6aR,9S)-d10-THC	0.0102	0.015	ND	ND
9S-HHC	0.0102	0.015	ND	ND
CBC	0.0102	0.015	0.043	0.43053
CBCa	0.0102	0.015	ND	ND
CBD	0.0102	0.015	4.133	41.32735
CBDa	0.0102	0.015	ND	ND
CBDV	0.0102	0.015	0.023	0.23027
CBDVa	0.0102	0.015	ND	ND
CBG	0.0102	0.015	0.068	0.67636
CBGa	0.0102	0.015	ND	ND
CBN	0.0102	0.015	ND	ND
CBNa	0.0102	0.015	ND	ND
Δ8-THC	0.0102	0.015	ND	ND
Δ9-THC	0.0102	0.015	0.081	0.80886
THCa	0.0102	0.015	ND	ND
THCp	0.0102	0.015	ND	ND
THCV	0.0102	0.015	ND	ND
THCVa	0.0102	0.015	ND	ND
Total THC			**0.081**	**0.80886**
Total CBD			**4.133**	**41.32735**
Total			**4.347**	**43.47337**

Date Tested: 04/07/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley Phillips
Laboratory Director
04/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

FS 1200MG TINCTURE

Sample ID: 2603NBL0579.1518
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 04/07/2026
Completed: 04/23/2026
Expires: 04/23/2027
External Lot ID: 2608601
Batch#: MO-386

Client
Emergent Concepts LLC
Lic. #
19141 Stone Oak Pkwy San Antonio, TX 78258
(1NN) NNN-NNNN adrian@alamobotanicals.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029		ND	Tested
Acephate	0.098	0.029		ND	Tested
Acequinocyl	0.098	0.029		ND	Tested
Acetamiprid	0.098	0.029		ND	Tested
Aldicarb	0.098	0.029		ND	Tested
Azoxystrobin	0.098	0.029		ND	Tested
Bifenazate	0.098	0.029		ND	Tested
Bifenthrin	0.098	0.029		ND	Tested
Boscalid	0.098	0.029		ND	Tested
Captan	0.688	0.206		ND	Tested
Carbaryl	0.098	0.029		ND	Tested
Carbofuran	0.098	0.029		ND	Tested
Chlorantraniliprole	0.098	0.029		ND	Tested
Chlorfenapyr	0.079	0.029		ND	Tested
Chlormequat	0.098	0.029		ND	Tested
Chlorpyrifos	0.098	0.029		ND	Tested
Clofentezine	0.098	0.029		ND	Tested
Coumaphos	0.098	0.029		ND	Tested
Cyfluthrin	0.491	0.147		ND	Tested
Cypermethrin	0.491	0.147		ND	Tested
Daminozide	0.982	0.295		ND	Tested
Diazinon	0.098	0.029		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested
Dimethoate	0.098	0.029		ND	Tested
Dimethomorph	0.094	0.029		ND	Tested
Ethoprophos	0.098	0.029		ND	Tested
Etofenprox	0.098	0.029		ND	Tested
Etoxazole	0.098	0.029		ND	Tested
Fenhexamid	0.098	0.029		ND	Tested
Fenoxycarb	0.098	0.029		ND	Tested
Fenpyroximate	0.098	0.029		ND	Tested
Fipronil	0.098	0.029		ND	Tested
Flonicamid	0.098	0.029		ND	Tested
Fludioxonil	0.098	0.029		ND	Tested
Hexythiazox	0.098	0.029		ND	Tested
Imazalil	0.098	0.029		ND	Tested
Imidacloprid	0.098	0.029		ND	Tested
Kresoxim Methyl	0.098	0.029		ND	Tested
Malathion	0.098	0.029		ND	Tested
Metalaxyl	0.098	0.029		ND	Tested
Methiocarb	0.098	0.029		ND	Tested
Methomyl	0.098	0.029		ND	Tested
Mevinphos	0.098	0.029		ND	Tested
Myclobutanil	0.098	0.029		ND	Tested
Naled	0.246	0.075		ND	Tested
Oxamyl	0.098	0.029		ND	Tested
Paclobutrazol	0.098	0.029		ND	Tested
Methyl Parathion	0.079	0.029		ND	Tested
Pentachloronitrobenzene	0.079	0.029		ND	Tested
Permethrins	0.098	0.029		ND	Tested
Phosmet	0.098	0.029		ND	Tested
Piperonyl Butoxide	0.098	0.029		ND	Tested
Prallethrin	0.098	0.029		ND	Tested
Propiconazole	0.098	0.029		ND	Tested
Propoxur	0.098	0.029		ND	Tested
Pyrethrins	0.491	0.147		ND	Tested
Pyridaben	0.098	0.029		ND	Tested
Spinetoram	0.098	0.029		ND	Tested
Spinosad	0.100	0.029		ND	Tested
Spiromesifen	0.098	0.029		ND	Tested
Spirotetramat	0.098	0.029		ND	Tested
Spiroxamine	0.098	0.029		ND	Tested
Tebuconazole	0.098	0.029		ND	Tested
Thiacloprid	0.098	0.029		ND	Tested
Thiamethoxam	0.098	0.029		ND	Tested
Trifloxystrobin	0.098	0.029		ND	Tested

Date Tested: 04/22/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
04/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

FS 1200MG TINCTURE

Sample ID: 2603NBL0579.1518
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 04/07/2026
Completed: 04/23/2026
Expires: 04/23/2027
External Lot ID: 2608601
Batch#: MO-386

Client
Emergent Concepts LLC
Lic. #
19141 Stone Oak Pkwy San Antonio, TX 78258
(1NN) NNN-NNNN adrian@alamobotanicals.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 04/14/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 04/22/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.243		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 04/21/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
04/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

FS 1200MG TINCTURE

Sample ID: 2603NBL0579.1518
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 04/07/2026
Completed: 04/23/2026
Expires: 04/23/2027
External Lot ID: 2608601
Batch#: MO-386

Client
Emergent Concepts LLC
Lic. #
19141 Stone Oak Pkwy San Antonio, TX 78258
(1NN) NNN-NNNN adrian@alamobotanicals.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		ND	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested
1,1-Dichloroethene	0.577	1.923		ND	Tested
1,2-Dichloroethane	0.577	1.923		ND	Tested
Ethylene Oxide	1.442	4.808		ND	Tested
Acetonitrile	5.769	19.231		ND	Tested
Chloroform	0.577	1.923		ND	Tested
Ethyl Ether	72.115	240.385		ND	Tested
Dichloromethane	28.846	96.154		ND	Tested
Trichloroethene	5.769	19.231		ND	Tested
2,3-Butanedione	28.846	96.154		ND	Tested

Date Tested: 04/17/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
04/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.